


Lesson 5: Three-Dimensional Space

Classwork




Exercise





The following three-dimensional right rectangular prism has dimensions $3 \times 4 \times 5$. Determine the length of $\overline{AC'}$. Show a full solution.









Exploratory Challenge

Table 1: Properties of Points, Lines, and Planes in Three-Dimensional Space

| | Property | Diagram | | |
|---|--|---|---|---|
| 1 | Two points P and Q determine a distance PQ , a line segment PQ , a ray PQ , a vector PQ , and a line PQ . | | | |
| 2 | Three non-collinear points A , B , and C determine a plane ABC and, in that plane, determine a triangle ABC . | <p>Given a picture of the plane below, sketch a triangle in that plane.</p>  | | |
| 3 | Two lines either meet in a single point or they do not meet. Lines that do not meet and lie in a plane are called <i>parallel</i> . <i>Skew</i> lines are lines that do not meet and are not parallel. | (a) Sketch two lines that meet in a single point. | (b) Sketch lines that do not meet and lie in the same plane; i.e., sketch parallel lines. | (c) Sketch a pair of skew lines. |
| | | |  |  |

| | | | | |
|---|--|--|--|---|
| 4 | Given a line ℓ and a point not on ℓ , there is a unique line through the point that is parallel to ℓ . |  | | |
| 5 | Given a line ℓ and a plane P , then ℓ lies in P , ℓ meets P in a single point, or ℓ does not meet P , in which case we say ℓ is <i>parallel</i> to P . (Note: This implies that if two points lie in a plane, then the line determined by the two points is also in the plane.) | (a) Sketch a line ℓ that lies in plane P .  | (b) Sketch a line ℓ that meets P in a single point.  | (c) Sketch a line ℓ that does not meet P ; i.e., sketch a line ℓ parallel to P .  |
| 6 | Two planes either meet in a line or they do not meet, in which case we say the planes are <i>parallel</i> . | (a) Sketch two planes that meet in a line. | | (b) Sketch two planes that are parallel. |

| | | |
|----|---|---|
| 7 | Two rays with the same vertex form an angle. The angle lies in a plane and can be measured by degrees. | Sketch the example in the following plane: |
| | |  |
| 8 | Two lines are <i>perpendicular</i> if they meet, and any of the angles formed between the lines is a right angle. Two segments or rays are perpendicular if the lines containing them are perpendicular lines. | |
| 9 | A line ℓ is perpendicular to a plane P if they meet in a single point, and the plane contains two lines that are perpendicular to ℓ , in which case every line in P that meets ℓ is perpendicular to ℓ . A segment or ray is perpendicular to a plane if the line determined by the ray or segment is perpendicular to the plane. | Draw an example of a line that is perpendicular to a plane. Draw several lines that lie in the plane that pass through the point where the perpendicular line intersects the plane. |
| | |  |
| 10 | Two planes perpendicular to the same line are parallel. | |
| | |  |

| | | |
|----|---|--|
| 11 | Two lines perpendicular to the same plane are parallel. | <p>Sketch an example that illustrates this statement using the following plane:</p>  |
| 12 | Any two line segments connecting parallel planes have the same length if they are each perpendicular to one (and hence both) of the planes. | <p>Sketch an example that illustrates this statement using parallel planes P and Q.</p>  |
| 13 | The <i>distance between a point and a plane</i> is the length of the perpendicular segment from the point to the plane. The distance is defined to be zero if the point is on the plane. The <i>distance between two planes</i> is the distance from a point in one plane to the other. | <p>Sketch the segment from A that can be used to measure the distance between A and the plane P.</p>  |


Lesson Summary

SEGMENT: The *segment between points A and B* is the set consisting of A , B , and all points on the line \overleftrightarrow{AB} between A and B . The segment is denoted by \overline{AB} , and the points A and B are called the *endpoints*.

LINE PERPENDICULAR TO A PLANE: A line L intersecting a plane E at a point P is said to be *perpendicular to the plane E* if L is perpendicular to every line that (1) lies in E and (2) passes through the point P . A segment is said to be perpendicular to a plane if the line that contains the segment is perpendicular to the plane.


Problem Set

- Indicate whether each statement is always true (A), sometimes true (S), or never true (N).
 - If two lines are perpendicular to the same plane, the lines are parallel.
 - Two planes can intersect in a point.
 - Two lines parallel to the same plane are perpendicular to each other.
 - If a line meets a plane in one point, then it must pass through the plane.
 - Skew lines can lie in the same plane.
 - If two lines are parallel to the same plane, the lines are parallel.
 - If two planes are parallel to the same line, they are parallel to each other.
 - If two lines do not intersect, they are parallel.
- Consider the right hexagonal prism whose bases are regular hexagonal regions. The top and the bottom hexagonal regions are called the *base faces*, and the side rectangular regions are called the *lateral faces*.
 - List a plane that is parallel to plane $C'D'E'$.
 - List all planes shown that are not parallel to plane CDD' .
 - Name a line perpendicular to plane ABC .
 - Explain why $AA' = CC'$.
 - Is \overleftrightarrow{AB} parallel to \overleftrightarrow{DE} ? Explain.
 - Is \overleftrightarrow{AB} parallel to $\overleftrightarrow{C'D'}$? Explain.
 - Is \overleftrightarrow{AB} parallel to $\overleftrightarrow{D'E'}$? Explain.
 - If line segments $\overline{BC'}$ and $\overline{C'F'}$ are perpendicular, then is \overleftrightarrow{BC} perpendicular to plane $C'A'F'$? Explain.
 - One of the following statements is false. Identify which statement is false and explain why.
 - $\overleftrightarrow{BB'}$ is perpendicular to $\overleftrightarrow{B'C'}$.
 - $\overleftrightarrow{EE'}$ is perpendicular to \overleftrightarrow{EF} .
 - $\overleftrightarrow{CC'}$ is perpendicular to $\overleftrightarrow{E'F'}$.
 - \overleftrightarrow{BC} is parallel to $\overleftrightarrow{F'E'}$.



3. In the following figure, $\triangle ABC$ is in plane P , $\triangle DEF$ is in plane Q , and $BCFE$ is a rectangle. Which of the following statements are true?
- \overline{BE} is perpendicular to plane Q .
 - $BF = CE$.
 - Plane P is parallel to plane Q .
 - $\triangle ABC \cong \triangle DEF$.
 - $AE = AF$.

4. Challenge: The following three-dimensional right rectangular prism has dimensions $a \times b \times c$. Determine the length of $\overline{AC'}$.



5. A line ℓ is perpendicular to plane P . The line and plane meet at point C . If A is a point on ℓ different from C , and B is a point on P different from C , show that $AC < AB$.
6. Given two distinct parallel planes P and R , \overline{EF} in P with $EF = 5$, point G in R , $m\angle GEF = 90^\circ$, and $m\angle EFG = 60^\circ$, find the minimum and maximum distances between planes P and R , and explain why the actual distance is unknown.
7. The diagram shows a right rectangular prism determined by vertices A, B, C, D, E, F, G , and H . Square $ABCD$ has sides with length 5, and $AE = 9$. Find DF .

