

Lesson 12: Distributing Expressions

Student Outcomes

. Students model and write equivalent expressions using the distributive property. They move from factored form to expanded form of an expression.

Classwork

Opening Exercise (3 minutes)



Example 1 (8 minutes)

Example 1 Write an expression that is equivalent to 2(a + b).

- In this example we have been given the factored form of the expression.
- To answer this question we can create a model to represent 2(a + b).
- Let's start by creating a model to represent (a + b).

	Create a model to represe	nt $(a+b)$.				
MP.7			<i>a</i> -	+ b J	٦	
			a	b		
	The expression $2(a+b)$ t	ells us that we l	have 2 of the $(a +$	b)'s. Create a m	 odel that shows 2 g	roups of $(a+b)$.
	ſ	а	+ b	a Y	+ b	
		а	b	a	b	



Date:

© 2014 Common Core, Inc. Some rights reserved. commoncore.org





engage^{ny}

133





This expression is written in expanded form.

What conclusion can we draw from the models about equivalent expressions?	
2(a+b)=2a+2b	

To prove that these two forms are equivalent, let's plug in some values for *a* and *b* and see what happens.

Let $a = 3$ and $b = 4$	·.
2(a+b)	2a + 2b
2(3+4)	2(3) + 2(4)
2(7)	6 + 8
14	14

Note, if students do not believe yet that the two are equal, you can continue to plug in more values for a and b until they are convinced.

What happens when we double (a + b)? We double a, and we double b.

Example 2 (5 minutes)

	Example 2				
	Write an e	expression that is e	equivalent to double $(3x + 4)$	ły).	
	How can w	ve rewrite double	(3x+4y)?		
	Double is t	the same as multip	olying by two.		
	2(3x+4y)	y) or 6x + 8y			
	Is this exp				
COMI CORE	MON	Lesson 12: Date:	Distributing Expressions 11/19/14	engag	e ^{ny} 134
© 2014 Commo	n Core, Inc. Some	rights reserved. commond	core.org	BY-NC-SA This work is licensed under a	orted License

MP.7



The first expression is in factored form, and the second expression is in expanded form.

Let's start this problem the same way that we started the first example. What should we do?

We can make a model of 3x + 4y.



How can we change the model to show 2(3x + 4y)?

We can make two copies of the model.

	3x + 4y	3x + 4y		
3 <i>x</i>	4 <i>y</i>	3 <i>x</i>	4 <i>y</i>	

Are there terms that we can combine in this example?

6.	<i>x</i>	8	у
3 <i>x</i>	3 <i>x</i>	4 <i>y</i>	4 <i>y</i>

Yes, there are 6 x's and 8 y's.

So the model is showing 6x + 8y.

What is an equivalent expression that we can use to represent 2(3x + 4y)?

2(3x+4y) = 6x+8y

This is the same as 2(3x) + 2(4y).

Summarize how you would solve this question without the model.

When there is a number outside the parentheses, I would multiply it by all the terms on the inside of the parentheses.

Example 3 (3 minutes)

Example 3					
Write an expression in expanded form that is equivalent to the model below.			4 <i>x</i>	+ 5	5
	у				
What factored expression is represented in the model?					
y(4x+5)		-			
How can we rewrite this expression in expanded form?					
y(4x) + y(5)					



Lesson 12: **Distributing Expressions** 11/19/14



Date:





engage^{ny}

135



136

Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Ur ported License.

4xy + 5y

Example 4 (3 minutes)

How can we use our work in the previous examples to write the following expression?

```
Example 4
Write an expression in expanded form that is equivalent to 3(7d + 4e).
We will multiply 3 \times 7d and 3 \times 4e.
We would get 21d + 12e. So, 3(7d + 4e) = 21d + 12e.
```

Exercises (15 minutes)





- 4. 3(2h+7)6h+21
- 5. 5(3x+9y)15x+45y
- 6. 4(11h+3g)44h+12g
- 7. 7*k* 12*m j* 7*jk* + 12*jm*
- 8. a(9b+13)9ab+13a

Closing (3 minutes)

- State what the expression a(b + c) represents.
 - a groups of the quantity b plus c.
- Explain in your own words how to write an equivalent expression in expanded form when given an expression in the form of a(b + c). Then, create your own example to show off what you know.
 - To write an equivalent expression, I would multiply a times b and a times c. Then, I would add the two products together.
 - Examples will vary.
- State what the equivalent expression in expanded form represents.
 - ab + ac means a groups of size b plus a groups of size c.

Exit Ticket (5 minutes)





engage^{ny}

Name _____

Date _____

Lesson 12: Distributing Expressions

Exit Ticket

Use the distributive property to write the following expressions in expanded form.

1. 2(b+c)

2. 5(7h + 3m)

3. e(f + g)







engage^{ny}



Exit Ticket Sample Solutions

Use the distributive property to write the following expressions in expanded form. 1. 2(b+c)2b + 2c2. 5(7h + 3m)35h + 15m3. e(f + g)ef + eg

Problem Set Sample Solutions

1.	Use the distributive property to write the following expressions in expanded form.				
	a.	4(x+y)			
		4x + 4y			
	b.	8(a+3b)			
		8a + 24b			
	с.	3(2x+11y)			
		6x + 33y			
	d.	9(7a+6b)			
		63a + 54b			
	e.	c(3a+b)			
		3ac + bc			
	f.	y(2x+11z)			
		2xy + 11yz			







139





Distributing Expressions 11/19/14



 $\ensuremath{\mathbb{C}}$ 2014 Common Core, Inc. Some rights reserved. <code>commoncore.org</code>