

#### **Student Outcomes**

Students analyze an equation in two variables, choose an independent variable and a dependent variable, make a table, and make a graph for the equation by plotting the points in the table. For the graph, the independent variable is usually represented by the horizontal axis, and the dependent variable is usually represented by the horizontal axis.

#### Classwork

#### **Opening Exercise (5 minutes)**


#### **Opening Exercise**

Xin is buying beverages for a party that come in packs of 8. Let p be the number of packages Xin buys and t be the total number of beverages. The equation t = 8p can be used to calculate the total number of beverages when the number of packages is known. Determine the independent and dependent variable in this scenario. Then, make a table using whole number values of p less than 6.

The total number of beverages is the dependent variable because the total number of beverages depends on the number of packages purchased. Therefore, the independent variable is the number of packages purchased.

# of Packages (p)	Total Number of Beverages ( $t=8p$ )
0	0
1	8
2	16
3	24
4	32
5	40

#### Example 1 (7 minutes)






Lesson 32: Date: Multi-Step Problems in the Real World 11/19/14

engage<sup>ny</sup>

- To make a graph, we must determine which variable is measured along the horizontal axis and which variable is measured along the vertical axis.
- Generally, the independent variable is measured along the *x*-axis. Which axis is the *x*-axis?
  - The x-axis is the horizontal axis.
- Where would you put the dependent variable?
  - On the y-axis. It travels vertically, or up and down.
- We want to show how the number of beverages changes when the number of packages changes. To check that you have set up your graph correctly, try making a sentence out of the labels on the axes. Write your sentence using the label from the *y*-axis first followed by the label from the *x*-axis. The total number of beverages depends on the number of packages purchased.





**MP.2** 



Multi-Step Problems in the Real World 11/19/14



357

Lesson 32

6•4

#### **Exercises (20 minutes)**

Students work individually.


#### Exercises Each week Quentin earns \$30. If he saves this money, create a graph that shows the total amount of money 1. Quentin has saved from week 1 through week 8. Write an equation that represents the relationship between the number of weeks that Quentin has saved his money, w, and the total amount of money in dollars he has saved, s. Then, name the independent and dependent variables. Write a sentence that shows this relationship. s = 30wThe amount of money saved, s, is the Money Saved dependent variable, and the number of weeks, w, is the independent variable. Number of Weeks Total Saved (\$) Amount of Money (\$) Number of Weeks Therefore, the amount of money Quentin has saved increases by \$30 for every week he saves money. 2. Zoe is collecting books to donate. She started with 3 books and collects two more each week. She is using the equation b = 2w + 3, where b is the total number of books collected and w is the number of weeks she has been collecting books. Name the independent and dependent variables. Then, create a graph to represent how many books Zoe has collected when w is 5 or less. The number of weeks is the independent variable. The number Book Collection of books collected is the dependent variable. Number of Weeks Number of Books Collected Number of books Number of weeks



Multi-Step Problems in the Real World 11/19/14

engage<sup>ny</sup>





## **Closing (5 minutes)**


Imagine that you are helping a friend with his math work. Here is the problem he was solving:

Henry is taking a taxicab home. The cab company charges an initial fee of \$5 plus \$2 for each additional mile. Henry uses the equation t = 2m + 5 to calculate the cost of the ride, where t is the total cost and m is the number of miles.

Your friend states that t is the dependent variable and m is the independent variable. Then the friend starts to sketch a graph.

- What would you tell your friend when looking over his/her work?
  - I would tell my friend that the dependent variable should go on the vertical axis or the y-axis. Then your graph will show that the total cost of the ride depends on how many miles you travel in the taxicab.

## Exit Ticket (5 minutes)



Total Cost of Ride



Multi-Step Problems in the Real World 11/19/14





Name \_\_\_\_\_

Date \_\_\_\_\_

# Lesson 32: Multi-Step Problems in the Real World

# **Exit Ticket**

Determine which variable is the independent variable and which variable is the dependent variable. Write an equation, make a table, and plot the points from the table on the graph.

Enoch can type 40 words per minute. Let w be the number of words typed and m be the number of minutes spent typing.

	Independent variable
	Dependent variable
	Equation




Lesson 32: Date: Multi-Step Problems in the Real World 11/19/14





Determine which variable is the independent variable and which variable is the dependent variable. Write an equation, make a table, and plot the points from the table on the graph. Enoch can type 40 words per minutes. Let w be the number of words typed and m be the number of minutes spent typing. Words Typed per Minute The independent variable is the number of minutes spent 240 typing. The dependent variable is the number of words typed. The equation is w = 40m. 200 # of Minutes # of Words # of Words Typed 0 0 160 1 40 2 80 120 3 120 4 160 5 200 80 40 2 5 0 3 4 6 1 # of Minutes Spent Typing

# **Problem Set Sample Solutions**


Caleb started saving money in a cookie jar. He started with \$25. He adds \$10 to the cookie jar each week. Write 1. an equation where w is the number of weeks Caleb saves his money and t is the total amount in dollars in the cookie jar. Determine which variable is the independent variable and which is the dependent variable. Then, graph the total amount in the cookie jar for *w* being less than 6 weeks. t = 10w + 25The total amount, t, is the dependent variable. Money in Cookie Jar 80 The number of weeks, w, is the independent variable. 70 Total Amount in (S) # of Weeks Total Amount in Cookie Jar Cookie Jar (\$) 60 0 25 1 35 50 2 45 40 3 55 4 65 30 5 75 20 10 5 0 1 2 3 4 6 7 # of Weeks



Lesson 32: Date: Multi-Step Problems in the Real World 11/19/14

engage<sup>ny</sup>





t = 5w + 10

The total amount saved, t, is the dependent variable.

The number of weeks, w, is the independent variable.

# of Weeks	Total Amount (\$)
0	10
1	15
2	20
3	25
4	30
5	35
6	40
7	45
8	50





Multi-Step Problems in the Real World 11/19/14

engage<sup>ny</sup>

362




Aliyah is purchasing produce at the farmers' market. She plans to buy 10 worth of potatoes and some apples. The apples cost 1.50 per pound. Write an equation to show the total cost of the produce, where *T* is the total cost, in dollars, and *a* is the number of pounds of apples. Determine which variable is dependent and independent. Then, graph the equation on the coordinate plane.

#### T = 1.50a + 10

4.

The total cost is the dependent variable. The number of pounds of apples is the independent variable.

# of Pounds of Apples	Total Cost (\$)
0	10
1	11.50
2	13
3	14.50
4	16
5	17.50





Multi-Step Problems in the Real World 11/19/14



